

	Kleigrond			Veengrond				Lössgrond			Zand-noord & west					Zand-centraal					Zand-zuid												
	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil							
Grasland (kg N per ha per jaar)																																	
Grasland met beweiden	345	345		276	311	+13%	276		265	265		212	239	+13%	212		200	221	+11%		250	268	+7%		200	221	+11%						
Grasland met volledig maaien	385	385		308	347	+13%	308		300	300		240	270	+13%	240		256	256			320	320			256	256							
Tijdelijk grasland (kg N per ha per periode)																																	
van 1 januari tot minstens 15 april	60	60		48	54	+13%	48		50	50		40	45	+13%	40		40	40			50	50			40	40							
van 1 januari tot minstens 15 mei	110	110		88	99	+13%	88		90	90		72	81	+13%	72		72	72			90	90			72	72							
van 1 januari tot minstens 15 augustus	250	250		200	225	+13%	200		210	210		168	189	+13%	168		168	168			210	210			168	168							
van 1 januari tot minstens 15 september	280	280		224	252	+13%	224		235	235		188	212	+13%	188		188	188			235	235			188	188							
van 1 januari tot minstens 15 oktober	310	310		248	279	+13%	248		265	265		212	239	+13%	212		200	200			250	250			200	200							
vanaf 15 april tot minstens 15 oktober	310	310		248	279	+13%	248		265	265		212	239	+13%	212		200	200			250	250			200	200							
vanaf 15 mei tot minstens 15 oktober	280	280		224	252	+13%	224		235	235		188	212	+13%	188		188	188			235	235			188	188							
vanaf 15 augustus tot minstens 15 oktober	95	95		76	86	+13%	76		80	80		64	72	+13%	64		80	80			80	80			64	64							
vanaf 15 september tot minstens 15 oktober	30	30		24	27	+13%	24		25	25		20	23	+15%	20		20	20			25	26	+4%		20	20							
vanaf 15 oktober	0	0		0	0		0		0	0		0	0		0		0	0			0	0			0	0							
Akkerbouwgewassen (kg N per ha per teelt)																																	
Consumptieaardappelrassen hoge norm	275	275		220	248	+13%	220		270	270		216	243	+13%	216		163	163			260	260			208	231	+11%	202	-3%	208	247	+19%	166
Consumptieaardappelrassen overig	250	250		200	225	+13%	200		245	245		196	221	+13%	196		147	147			235	235			188	209	+11%	182	-3%	188	225	+20%	150
Consumptieaardappelrassen lage norm	225	225		180	203	+13%	180		220	220		176	198	+13%	176		131	131			210	210			168	186	+11%	162	-4%	168	204	+21%	134
Consumptieaardappel, vroeg (loofvernietiging voor 15 juli)	120	120		96	108	+13%	96		120	120		96	108	+13%	96		77	77			120	120			96	108	+13%	96		96	102	+6%	77
Pootaardappelrassen hoge norm	140	140		112	126	+13%	112		140	140		112	126	+13%	112		112	112			140	140			112	126	+13%	112		112	119	+6%	112
Pootaardappelrassen overig	120	120		96	108	+13%	96		120	120		96	108	+13%	96		96	96			120	120			96	108	+13%	96		96	102	+6%	96
Pootaardappelrassen lage norm	100	100		80	90	+13%	80		100	100		80	90	+13%	80		80	80			100	100			80	90	+13%	80		80	85	+6%	80
Pootaardappelen, uitgroei teelt (loofvernietiging na 15 augustus)	180	180		144	162	+13%	144		170	170		136	153	+13%	136		132	132			165	165			132	147	+11%	129	-2%	132	153	+16%	132
Zetmeelaardappelen	240	240		192	216	+13%	192		230	230		184	207	+13%	184		147	147			230	230			184	206	+12%	182	-1%	184	204	+11%	147
Suikerbieten	150	150		120	135	+13%	120		145	145		116	131	+13%	116		93	93			145	145			116	130	+12%	115	-1%	116	128	+10%	93
Cichorei	70	70		56	63	+13%	56		70	70		56	63	+13%	56		56	56			70	70			56	65	+16%	60	+7%	56	56	+9%	56
Voederbieten	165	165		132	149	+13%	132		165	165		132	149	+13%	132		106	106			165	165			132	149	+13%	132		132	140	+6%	106
Wintertarwe	245	245		196	221	+13%	196		160	160		128	144	+13%	128		128	152			160	162	+1%		128	143	+12%	124	-3%	128	162	+27%	128
Zomertarwe	150	150		120	135	+13%	120		140	140		112	126	+13%	112		112	112			140	140			112	126	+13%	112		112	119	+6%	112
Wintergerst	140	140		112	126	+13%	112		140	140		112	126	+13%	112		112	112			140	140			112	125	+12%	110	-2%	112	128	+14%	112
Zomergerst	80	80		64	72	+13%	64		80	80		64	72	+13%	64		64	64			80	85	+6%		64	75	+17%	65	+2%	64	85	+33%	64
Triticale	160	160		128	144	+13%	128		150	150		120	135	+13%	120		96	96			150	150			120	134	+12%	118	-2%	120	136	+13%	96
Winterrogge	140	140		112	126	+13%	112		140	140		112	126	+13%	112		112	112			140	140			112	126	+13%	112		112	119	+6%	112
Haver	100	100		80	90	+13%	80		100	100		80	90	+13%	80		80	80			100	100			80	90	+13%	80		80	85	+6%	80
Mais	160	185	+16%	128	167	+30%	148	+16%	150	150		120	135	+13%	120		90	90			140	157	+12%		112	139	+24%	120	+7%	112	157	+40%	90
Luzerne, eerste jaar	40	40		32	36	+13%	32		40	40		32	36	+13%	32		32	32			40	40			32	36	+13%	32		32	34	+6%	32
Luzerne, volgende jaren	0	0		0	0		0		0	0		0	0		0		0	0			0	0			0	0		0		0	0		0
Gras voor industriële verwerking (inzaai september en 1e jaar)	30	30		24	27	+13%	24		25	25		20	23	+15%	20		20	20			25	26	+4%		20	23	+15%	20		20	26	+30%	20
Gras voor industriële verwerking (inzaai voor 15 mei en volg. jaren)	310	310		248	279	+13%	248		265	265		212	239	+13%	212		200	200			250	250			200	222	+11%	193	-4%	200	242	+21%	200
Graszaad, Engels raai gras, 1e jaars	165	165		132	149	+13%	132		155	155		124	140	+13%	124		96	96			150	150			120	133	+11%	116	-3%	120	145	+21%	96
Graszaad, Engels raai gras, overjarig	200	200		160	180	+13%	160		190	190		152	171	+13%	152		118	118			185	185			148	165	+11%	144	-3%	148	174	+18%	118
Graszaad, rietzwenkgras	140	140		112	126	+13%	112		135	135		108	122	+13%	108		83	83			130	166	+28%		104	147	+41%	127	+22%	104	166	+60%	83
Graszaad, rietzwenkgras, volgteelt	60	60		48	54	+13%	48		55	55		44	50	+14%	44		32	32			50	51	+2%		40	45	+13%	39	-3%	40			

				Kleigrond				Veengrond				Lössgrond			Zand-noord & west					Zand-centraal					Zand-zuid													
	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil	NV 2025	Cat. - 1	Verschil	Cat. - 2	Verschil	Std. 2025	Std. 2026	Verschil			
Karwij	150	150		120	135	+13%	120		145	145		116	131	+13%	116		90	90		140	140		112	125	+12%	110	-2%	112	128	+14%	113	+1%	98	-13%	90	83	-8%	
waarvan ten hoogste na 31/12 (winterteelt)	90	90		72	81	+13%	72		85	85		68	77	+13%	68		64	77	+20%	62	68		64	77	+20%	62	-3%	64	77	+20%	68	+6%	59	-8%	51	50	-2%	
Koolzaad, winter	205	205		164	185	+13%	164		195	195		156	176	+13%	156		122	122		190	190		152	170	+12%	149	-2%	152	174	+14%	154	+1%	133	-13%	122	113	-7%	
waarvan ten hoogste voor 31/12 (winterteelt)	45	45		36	41	+14%	36		45	45		36	41	+14%	36		29	29		45	45		36	41	+14%	36		36	38	+6%	34	-6%	29	-19%	29	25	-14%	
Koolzaad, zomer	120	120		96	108	+13%	96		120	120		96	108	+13%	96		77	77		120	120		96	108	+13%	96		96	102	+6%	90	-6%	78	-19%	77	66	-14%	
Vlas	70	70		56	63	+13%	56		70	70		56	63	+13%	56		45	45		70	70		56	64	+14%	58	+4%	56	51	-9%	45	-20%	39	-30%	45	45		
Akkerbouwgewassen, overig	200	200		160	180	+13%	160		190	190		152	171	+13%	152		118	118		185	185		148	165	+11%	145	-2%	148	170	+15%	150	+1%	130	-12%	118	110	-7%	
Bladgewassen (kg N per ha per teelt)																																						
Spinazie, 1e teelt	260	260		208	234	+13%	208		200	200		160	180	+13%	160		122	122		190	190		152	169	+11%	148	-3%	152	179	+18%	158	+4%	137	-10%	122	116	-5%	
Spinazie, volgteelt	185	185		148	167	+13%	148		150	150		120	135	+13%	120		93	93		145	145		116	129	+11%	113	-3%	116	136	+17%	120	+3%	104	-10%	93	88	-5%	
Slasoorten, 1e teelt	180	180		144	162	+13%	144		170	170		136	153	+13%	136		106	106		165	165		132	147	+11%	129	-2%	132	153	+16%	135	+2%	117	-11%	106	99	-7%	
Slasoorten, volgteelt	105	105		84	95	+13%	84		105	105		84	95	+13%	84		67	67		105	105		84	95	+13%	84		84	89	+6%	79	-6%	68	-19%	67	58	-13%	
Andijvie, 1e teelt	180	180		144	162	+13%	144		170	170		136	153	+13%	136		109	109		170	170		136	152	+12%	134	-1%	136	153	+13%	135	-1%	117	-14%	109	99	-9%	
Andijvie, volgteelt	90	90		72	81	+13%	72		90	90		72	81	+13%	72		58	58		90	90		72	81	+13%	72		72	77	+7%	68	-6%	59	-18%	58	50	-14%	
Selderij, bleek/groen	200	200		160	180	+13%	160		190	190		152	171	+13%	152		118	118		185	185		148	165	+11%	145	-2%	148	170	+15%	150	+1%	130	-12%	118	110	-7%	
Prei	245	245		196	221	+13%	196		235	235		188	212	+13%	188		144	144		225	255	+13%	180	225	+25%	195	+8%	180	255	+42%	225	+25%	195	+8%	144	144		
waarvan ten hoogste na 31/12 (winterteelt)	100	100		80	90	+13%	80		95	95		76	86	+13%	76		58	58		90	90		72	80	+11%	70	-3%	72	85	+18%	75	+4%	65	-10%	58	55	-5%	
Bladgewassen, overig, eenmalige oogst	150	150		120	135	+13%	120		145	145		116	131	+13%	116		90	90		140	140		112	125	+12%	110	-2%	112	128	+14%	113	+1%	98	-13%	90	83	-8%	
Bladgewassen, overig, meermalige oogst	275	275		220	248	+13%	220		260	260		208	234	+13%	208		160	160		250	250		200	223	+12%	195	-3%	200	234	+17%	206	+3%	179	-11%	160	151	-6%	
Koolgewassen (kg N per ha per teelt)																																						
Spruitkool	290	290		232	261	+13%	232		275	275		220	248	+13%	220		170	170		265	265		212	236	+11%	207	-2%	212	247	+17%	218	+3%	189	-11%	170	160	-6%	
waarvan ten hoogste na 31/12 (winterteelt)	50	50		40	45	+13%	40		50	50		40	45	+13%	40		32	32		50	50		40	45	+13%	40		40	43	+8%	38	-5%	33	-18%	32	28	-13%	
Witte kool	320	320		256	288	+13%	256		305	305		244	275	+13%	244		186	186		290	302	+4%	232	267	+15%	231		232	302	+30%	266	+15%	231		186	186		
Rode kool	285	285		228	257	+13%	228		270	270		216	243	+13%	216		166	166		260	260		208	232	+12%	203	-2%	208	242	+16%	214	+3%	185	-11%	166	157	-5%	
Savooiekool	285	285		228	257	+13%	228		270	270		216	243	+13%	216		166	166		260	260		208	232	+12%	203	-2%	208	242	+16%	214	+3%	185	-11%	166	157	-5%	
Spitskool	285	285		228	257	+13%	228		270	270		216	243	+13%	216		166	166		260	260		208	232	+12%	203	-2%	208	242	+16%	214	+3%	185	-11%	166	157	-5%	
Bloemkool	230	230		184	207	+13%	184		220	220		176	198	+13%	176		134	134		210	210		168	187	+11%	164	-2%	168	196	+17%	173	+3%	150	-11%	134	127	-5%	
waarvan ten hoogste na 31/12 (winterteelt)	120	120		96	108	+13%	96		115	115		92	104	+13%	92		70	70		110	110		88	98	+11%	86	-2%	88	102	+16%	90	+2%	78	-11%	70	66	-6%	
Broccoli	270	270		216	243	+13%	216		245	245		196	221	+13%	196		150	150		235	235		188	208	+11%	181	-4%	188	230	+22%	203	+8%	176	-6%	150	149	-1%	
Chineese kool	180	180		144	162	+13%	144		160	160		128	144	+13%	128		99	99		155	155		124	137	+10%	119	-4%	124	153	+23%	135	+9%	117	-6%	99	99		
Boerenkool, en overige bladkolen	170	170		136	153	+13%	136		160	160		128	144	+13%	128		99	99		155	155		124	138	+11%	121	-2%	124	145	+17%	128	+3%	111	-10%	99	94	-5%	
Paksoi	180	180		144	162	+13%	144		170	170		136	153	+13%	136		106	106		165	165		132	147	+11%	129	-2%	132	153	+16%	135	+2%	117	-11%	106	99	-7%	
Raapstelen	140	140		112	126	+13%	112		135	135		108	122	+13%	108		83	83		130	130		104	116	+12%	102	-2%	104	119	+14%	105	+1%	91	-13%	83	77	-7%	
Kruiden (kg N per ha per teelt)																																						
Kruiden, bladgewas, eenmalige oogst	150	150		120	135	+13%	120		145	145		116	131	+13%	116		90	90		140	140		112	125	+12%	110	-2%	112	128	+14%	113	+1%	98	-13%	90	83	-8%	
Kruiden, bladgewas, meermalig oogsten	275	275		220	248	+13%	220		260	260		208	234	+13%	208		160	160		250	250		200	223	+12%	195	-3%	200	234	+17%	206	+3%	179	-11%	160	151	-6%	
Kruiden, wortelgewassen</																																						

